## In the Claims:

1-8. (cancelled)
------------------

- 9. (previously presented) A PDC insert comprising:
- 2 a. a plug section;

3

4

5

6

, 7

8

٠9

- b. a pedestal section atop the plug section, and wherein the pedestal section has a top and a side wall, the side wall having a frustoconical bevel surface thereon;
  - c. a step between the plug section and the pedestal section; and
  - d. a first convex curved surface on the side wall above the frustoconical bevel surface and a second convex curved surface on the side wall below the frustoconical bevel surface.
- 10. (cancelled)
- 1 11. (original) The insert of claim 9, wherein the insert defines an axis and further 2 wherein the insert defines a back rake angle, and further wherein the bevel defines an angle 3 to the axis approximately equal to the back rake angle.
  - 12. (previously presented) A PDC insert comprising:
    - a. a plug section;

- a pedestal section atop the plug section and having a circular, flat top and a
   flat bevel surface forming a chord across the top;
- c. a step between the plug section and the pedestal section, wherein the insert defines an axis and further wherein the insert defines a back rake angle, and further wherein the flat bevel surface defines an angle to the axis approximately equal to the back rake angle.

## 13. (cancelled)

- 14. (previously presented) A PDC insert comprising:
  - a. a plug section;
  - a pedestal section atop the plug section, and wherein the pedestal section has
    a top and a side wall, the side wall having a frustoconical bevel surface
    thereon; and
  - c. a step between the plug section and the pedestal section, wherein the insert defines an axis and further wherein the insert defines a back rake angle, and further wherein the bevel defines an angle to the axis approximately equal to the back rake angle.
- 1 15. (new) A PDC insert comprising:
  - a. a plug section;

2

b. a pedestal section atop the plug section, and wherein the pedestal section has a top and a side wall, the side wall having a frustoconical bevel surface thereon;

3

4

5

6

7

- c. a step between the plug section and the pedestal section; and
- d. a first convex curved surface on the side wall above the frustoconical bevel surface.